



WINDOW TECHNOLOGY  
DOOR TECHNOLOGY  
AUTOMATIC ENTRANCE SYSTEMS  
BUILDING MANAGEMENT SYSTEMS



DOOR TECHNOLOGY – ORDER CATALOG | SECTION 03.2



## GU-SECURY Automatic Door Lock & Lever Handle



Securing technology for you



# SECURY Automatic Door Lock

with Latch, Deadbolt and 2 Automatic Latchbolts



USE WITH LEVER HANDLES ONLY

### SECURY Automatic Door Lock for Lever Handle

Description	Backset	Color	PU	Part Number
Door lock for 6' 8" doors	45mm	SS	5	6-35856-01-R-8B
Door lock for 8' doors	45mm	SS	5	6-35856-02-R-8B
Door lock for 6' 8" doors	50mm	SS	5	6-36033-01-R-8B
Door lock for 8' doors	50mm	SS	5	6-36033-02-R-8B
Door lock for 6' 8" doors	60mm	SS	5	6-35565-01-R-8B
Door lock for 8' doors	60mm	SS	5	6-35565-02-R-8B

PU = Packaging Unit

### Simply Close the Door!



As soon as the door pulled shut, the Automatic latchbolts instantly throw 20mm and are secured to prevent them being forced back. By turning the key or the knob, it will engage the deadbolt and lock the top and bottom latchbolts to become a **3 deadbolts locking system**.

### Additional information

- 3-point, one piece locking system for 6' 8" and 8' doors
- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn
- No lifting of handle to engage locking points
- Top and bottom Automatic latchbolts projection from 10 to 20mm:
  - provide security against forced entry
  - help prevent air infiltration from gasket
  - protect the door panel from warping
- 1" (25mm) throw on deadbolt with baby sitting function
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- Handle height variable (36" recommended)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Extension with additional lock point is available for doors taller than 8' (6-33479-04-O-8B)
- To be used with lever handle set (US-cylinder above handle)

# Automatic Extension

## with Additional Latchbolt



### Extension with Additional Latchbolt

Description	Color	PU	Part Number
525mm extension with rounded end	Stainless Steel	5	6-33479-04-0-8B
* = Color		PU = Packaging Unit	

### Additional information

- Tapered latch always engaging in strike plate
- 16mm stainless steel faceplate with radius end for easy installation and cleaner look
- Additional locking point for doors taller than 8'
- To be used with GU-SECURY Automatic door Locks


# ALLEGRO – TORINO Handles & 30mm Plates

Solid Brass Series



## Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle





## ALLEGRO Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U3192-01-0-*
Handle sets for semi-active doors	1	K-U3146-00-0-*
Handle sets for fixed doors	1	K-U3110-00-0-*


\* = Color

PU = Packaging Unit


01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



K-U3192-01-0-\*



K-U3146-00-0-\*



K-U3110-00-0-\*



## TORINO Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U3492-01-0-*
Handle sets for semi-active doors	1	K-U3446-00-0-*
Handle sets for fixed doors	1	K-U3410-00-0-*


\* = Color

PU = Packaging Unit


01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



K-U3492-01-0-\*



K-U3446-00-0-\*



K-U3410-00-0-\*

# VENICE Handle & 30mm Plate

Solid Brass Series





## VENICE Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U3692-01-0-*
Handle sets for semi-active doors	1	K-U3646-00-0-*
Handle sets for fixed doors	1	K-U3610-00-0-*


\* = Color

PU = Packaging Unit


01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



K-U3692-01-0-\*



K-U3646-00-0-\*



K-U3610-00-0-\*

## Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

## CAPRI – TORINO Handles &amp; 45mm Plates

Solid Brass Series



## Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle





## CAPRI Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U6292-01-0-*
Handle sets for semi-active doors	1	K-U6246-00-0-*
Handle sets for fixed doors	1	K-U6210-00-0-*


\* = Color

PU = Packaging Unit


01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



K-U6292-01-0-\*



K-U6246-00-0-\*



K-U6210-00-0-\*



## TORINO Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U6492-01-0-*
Handle sets for semi-active doors	1	K-U6446-00-0-*
Handle sets for fixed doors	1	K-U6410-00-0-*


\* = Color

PU = Packaging Unit


01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



K-U6492-01-0-\*



K-U6446-00-0-\*



K-U6410-00-0-\*

# VENICE Handle & 45mm Plate

Solid Brass Series





## VENICE Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U6692-01-0-*
Handle sets for semi-active doors	1	K-U6646-00-0-*
Handle sets for fixed doors	1	K-U6610-00-0-*

\* = Color

PU = Packaging Unit

01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



## Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

# ROMA Handle & 55mm Plates



Solid Brass Series



## ROMA Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U4092-01-0-*
Handle sets for semi-active doors	1	K-U4046-00-0-*
Handle sets for fixed doors	1	K-U4010-00-0-*
* = Color		PU = Packaging Unit

11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



## Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle



# ALLEGRO – TORINO Handles & 30mm Plates

Zamac Series




## Additional information

- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle




## ALLEGRO Trim Kits


Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U5192-Z1-0-*
Handle sets for semi-active doors	1	K-U5146-Z0-0-*
Handle sets for fixed doors	1	K-U5110-Z0-0-*
* = Color		PU = Packaging Unit
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter		



K-U5192-Z1-0-\*





K-U5146-Z0-0-\*




K-U5110-Z0-0-\*

## TORINO Trim Kits


Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U5492-Z1-0-*
Handle sets for semi-active doors	1	K-U5446-Z0-0-*
Handle sets for fixed doors	1	K-U5410-Z0-0-*
* = Color		PU = Packaging Unit
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter		



K-U5492-Z1-0-\*



K-U5446-Z0-0-\*



K-U5410-Z0-0-\*



# VENICE Handles & 30mm Plates

Zamac Series




## VENICE Trim Kits


Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U5692-Z1-0-*
Handle sets for semi-active doors	1	K-U5646-Z0-0-*
Handle sets for fixed doors	1	K-U5610-Z0-0-*
* = Color		PU = Packaging Unit
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter		



K-U5692-Z1-0-\*



K-U5646-Z0-0-\*



K-U5610-Z0-0-\*

## Additional information

- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

## CAPRI – TORINO Handles &amp; 45mm Plates

Zamac Series



## Additional information



- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle




## CAPRI Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U7292-Z1-0-*
Handle sets for semi-active doors	1	K-U7246-Z0-0-*
Handle sets for fixed doors	1	K-U7210-Z0-0-*
* = Color		PU = Packaging Unit


5 = Dark Bronze PC, 6 = Black PC, 7 = White PC



K-U7292-Z1-0-\*



K-U7246-Z0-0-\*




K-U7210-Z0-0-\*


## TORINO Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U7492-Z1-0-*
Handle sets for semi-active doors	1	K-U7446-Z0-0-*
Handle sets for fixed doors	1	K-U7410-Z0-0-*
* = Color		PU = Packaging Unit


01 = Satin Chrome, 5 = Dark Bronze, 6 = Black, 7 = White, 28 = Pewter



K-U7492-Z1-0-\*



K-U7446-Z0-0-\*



K-U7410-Z0-0-\*


# VENICE Handle & 45mm Plate

Zamac Series




### VENICE Trim Kits


Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U7692-Z1-0-*
Handle sets for semi-active doors	1	K-U7646-Z0-0-*
Handle sets for fixed doors	1	K-U7610-Z0-0-*
* = Color		PU = Packaging Unit
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter		



K-U7692-Z1-0-\*



K-U7646-Z0-0-\*



K-U7610-Z0-0-\*

### Additional information

- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

# ROMA Handle & 55mm Plates

Zamac Series




## ROMA Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U9092-Z1-0-*
Handle sets for semi-active doors	1	K-U9046-Z0-0-*
Handle sets for fixed doors	1	K-U9010-Z0-0-*
* = Color		PU = Packaging Unit

6 = Black PC

6



## Additional information

- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

# VIKING – ROMANCE Handles & 40mm Plates

Antique Series



## Additional information

- Unassembled trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle




## VIKING Trim Kits


Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-C9718-US-0-*
Handle sets for semi-active doors	1	K-C9708-46-0-*
Handle sets for fixed doors	1	K-C9708-00-0-*
* = Color		PU = Packaging Unit

6 = Black, 08 = Pewter


6 08



K-C9718-US-0-\*



K-C9708-46-0-\*




K-C9708-00-0-\*

## ROMANCE Trim Kits


Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-C9719-US-0-*
Handle sets for semi-active doors	1	K-C9709-46-0-*
Handle sets for fixed doors	1	K-C9709-00-0-*
* = Color		PU = Packaging Unit

6 = Black, 08 = Pewter


6 08



K-C9719-US-0-\*




K-C9709-46-0-\*



K-C9709-00-0-\*

# Strike Plates

for Door Lock



## Top and Bottom Striker with Extended Lip

Description	PU	Part Number
Latchbolt strike plate for 45mm (1 3/4") thick doors	100	9-C4776-45-0-*
Latchbolt strike plate for 57mm (2 1/4") thick doors	100	9-C4776-57-0-*
* = Color      PU = Packaging Unit		
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter		
<div> <div>03</div> <div>04</div> <div>5</div> <div>6</div> <div>11</div> <div>25</div> <div>28</div> </div>		

### Additional information

- Solid brass or stainless steel
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock



## Middle Striker with Extended Lip

Description	PU	Part Number
Latch and deadbolt strike plate for 45mm (1 3/4") thick doors	50	9-C4777-45-0-*
Latch and deadbolt strike plate for 57mm (2 1/4") thick doors	50	9-C4777-57-0-*
* = Color      PU = Packaging Unit		
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter		
<div> <div>03</div> <div>04</div> <div>5</div> <div>6</div> <div>11</div> <div>25</div> <div>28</div> </div>		

### Additional information

- Solid brass or stainless steel
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks